



# SHERP


## ARGO Sherp Pro XT

ARGO the world-wide leader of Amphibious Extreme Terrain Vehicles (XTVs) for over 50 years is pleased to announce the All-New ARGO Sherp line of Utility Task Vehicles (UTVs).

### Dimensions

157" (4002 mm)


length



wheel base  
86" (2200 mm)

101" (2570 mm)

width




height  
118"  
(3021 mm)

### Capacity

2200 lb (1000 kg) payload


up to **9**



Seating

- Front - 2 standard
- Rear - 2, 4, or 7 optional

weight  
5,180 lb (2350 kg)



### Weather Conditions

+40°C (104° F) -40°C

### Speed



Land  
25 mph (40 km/h)



Water  
4 mph (6 km/h)

### Fuel Capacity



Main Tank: 25 gal (95 L)  
Wheel Cannisters: 15.3 gal (58 L) x 4  
Total Capacity: 86.2 gal (327 L)

## GO ANYWHERE



**SHERP**

## **ARGO SHERP PRO XT ADVANTAGE**

**1**

**ENGINE** - 55hp diesel eco-friendly engine provides high torque and fuel efficiency while providing optimum performance with a low level of noise and vibration.

**3**

**FINAL DRIVE** - Enclosed gears & oil bath chains for maximum performance and superior reliability under extreme conditions.

**5**

**TIRES** - Unique tire tread provides propulsion in water, excellent traction on land and sure grip to climb onto ice from water.

**7**

**CAB** - Lightweight aluminum cab with advanced interior ergonomics including multi function digital gauge and fingertip controls all within easy reach.

**9**

**AMPHIBIOUS** - A distinguishing characteristic of the ARGO Sherp is its fully amphibious sealed compact chassis combined with massive all-terrain tires.

**2**

**TRANSMISSION** - Skid steering system with hydraulic assist for exceptional maneuverability turning within its own width on land or in water.

**4**

**SUSPENSION** - Our patented suspension system (tires and wheels), are self-inflating for optimum traction and provide a smooth ride in any terrain.

**6**

**SKID PLATE** - Decol steel flat bottom chassis provides smooth finish from front to back with a 24" (60 cm) ground clearance, handles large obstacles with ease.

**8**

**ROPS** - Integrated inside the cab is a full length ISO certified 3471-2009 and 5700-2008 Roll Over Protection Structure.

**10**

**WARRANTY** - 2 Year or 2,000 operational hours Limited Warranty, strongest warranty in the industry.

**GO ANYWHERE**



# SHERP

## 2021 ARGO Sherp Pro XT Specifications

<b>ENGINE</b>		<b>SPEED - MIN LAND</b>	1 mph (2 km/h)
MAKE	Doosan	<b>SPEED - WATER</b>	4 mph ( 6 km/h)
DISPLACEMENT	1.8 L	<b>SUSPENSION &amp; BRAKE</b>	
FUEL TYPE	Diesel	SUSPENSION	Adjustable Pneumatic Circulating Tires
CYLINDER	3	BRAKE	Dual Disc
EMISSION STANDARDS	EPA, Stage5/Tier 4 Final	PARKING BRAKES	Handbrake
DOC	DOC+DPF/DOC Only	<b>TIRES &amp; WHEELS</b>	
COOLING SYSTEM	Liquid	TIRES	Tubeless, extra low pressure
HORSEPOWER - MAX	55HP (41 KW)	TIRE SIZE	71 X 23-25 (1800 X 600-635)
TORQUE - MAX	190 Nm	WHEELS	Aluminum Beadlock
FUEL CONSUMPTION	1.3 - 2.2 gal/h (5 - 8 L/h)	GROUND PRESSURE	Adjustable by exhaust gas
VOLTAGE	12 V	PRESSURE CONTROL	0.9 - 2.1 PSI ( 0.07 - 0.15 KG/cm <sup>2</sup> )
ALTERNATOR CAPACITY	140 AMP	<b>FEATURES</b>	
STARTER	Electric	CABIN	Aluminum Hard Top
BATTERY TYPE - MAIN	Lead Acid	FRAME	Steel Galvanized
BATTERY TYPE - BACKUP	Lead Acid	ROPS (Certification)	Full ROPS (ISO 3471-2009, 5700-2008)
<b>DRIVE TRAIN</b>		FRONT SEATS	2 Seats with 3 point seatbelts
TRANSMISSION TYPE	6 Speed Manual	REAR SEATS - 2 FRONT FACING	Optional
FINAL DRIVE	Enclosed Chains in Oil Bath	REAR SEATS - 4 FRONT FACING	Optional
STEERING	Two Lever Hydraulic Skid Steering	REAR SEATS - 6 SIDE AND 1 REAR FACING	Optional
<b>DIMENSIONS/WEIGHT/CAPACITY</b>		GAUGE	Multifunctional Digital
PAYLOAD	2,640 lbs (1,200 kg)	REVIEW CAMERA	Standard
PEOPLE CAPACITY	up to 9	HEATER	Standard
CLIMB/DESCEND GRADE - MAX	35 degrees	AIR CONDITIONER	Optional
SIDEHILL GRADE- MAX	30 degrees	HEADLIGHTS- LED	Hi/Lo Beam
OVERALL LENGTH	157 in (4,002 mm)	LIGHTBAR - REAR	Optional
OVERALL WIDTH	101 in (2,570 mm)	LIGHTBAR - FRONT	Optional
OVERALL HEIGHT	118 in (3,021 mm)	BUMPERS - FRONT	Standard
GROUND CLEARANCE	26" (675 mm)	BUMPERS - REAR	Standard
WHEELBASE	86" (2,200 mm)	HITCH	2" Receiver - Front & Rear
TOWING CAPACITY	5,170 lbs (2,350 kg)	WINCH	Optional
DRY WEIGHT	5,280 lbs (2,400 kg)	BILGE PUMP	Standard
TURNING RADIUS	323" 8,200 mm)	GLOVE BOX	Standard
FUEL CAPACITY - MAIN	25 gal (95 L)	CUP HOLDERS	Standard
FUEL CAPACITY - CANNISTERS IN RIMS	15.3 gal x 4 = 61.2 gal (58 L x 4 = 232 L)	STORAGE BOXES - UNDER FLOOR	Standard
INTERIOR VOLUME - OVERALL	7.8 m <sup>3</sup>	LOCKERS - 2PCS	Optional
INTERIOR VOLUME - FRONT	2 m <sup>3</sup>	MIRRORS	Standard
INTERIOR VOLUME - REAR	5.8 m <sup>3</sup>	WINDOW - REAR SIDE 2/4 PCS	Optional
SPEED - MAX LAND	25 mph (40 km/h)	WARRANTY	24 Months or 2,000 operation hours
		COLOR	Black

SHERP SERIES			
Model	Color		
ARGO Sherp Pro XT 4x4	Black		
<b>Base model includes</b>			
Cabin ROPS	Heater	Front 2" receiver hitch	Cup holders
Driver and passenger seats with seatbelts	Roughed in for air conditioning	Rear 2" receiver hitch	Battery backup
LED Hi/Lo headlight	Fuel cannisters in each rim	Front integrated footboards	
Rear view camera	Front bumper	Rear integrated footboards	
Side mirrors	Rear Bumper	Front glove box	
<b>Accessories Dealer Installed</b>			
Part #	Description		
900-0237	Air Conditioner		
900-0239	Rear Seats - Two		
900-0240	Rear Seats - Four		
900-0241	Rear Seats - Seven Foldable		
900-0242	Window - Side Rear 2pcs		
900-0243	Window - Side Rear 4pcs		
900-0244	Lights - Front LED		
900-0245	Lights - Front LED		
900-0246	Lockers - Two		
900-0247	Cargo Nets - Two		

**GO ANYWHERE**