



SERVICE BOOK

CONTENT

Information for User.....	5
Acknowledgement of the Purchaser.....	5
Pre-Delivery Inspection.....	7
ATV Information.....	9
General.....	11

WARRANTY

Warranty.....	13
Warranty Terms and conditions.....	15
Owner liability.....	21

MAINTENANCE DATA

Scheduled Maintenance Data.....	23
Maintenance Schedule.....	23
Vehicle Service Record Form.....	35
Notes of repairs under Warranty.....	67

INFORMATION FOR USER

For safe and trouble-free operation of the SHERP ATV, please be informed of the warranty terms and maintenance schedule.

Quadro International, LLC. guarantees ATV trouble-free operation within 12 months since the day of sale under the condition that operational hours for the mentioned herein period do not exceed 200h while strict observance of operation, maintenance and storage regulations and procedures, stated in the User Manual.

Maintenance should be carried out by a dealer or by an authorized service center.

Addresses of authorized service centers are provided at our web-side:

www.sherp.ca

I acknowledge the receipt of the User Manual and the Warranty and Service Book. I confirm that I am informed about terms of the warranty:

Signature (_____)
Last name, first name

Hotline tel.:

+1 877 349 49 99

(24/7/365)

ATV DELIVERY TO THE OWNER

Prior to the ATV delivery to the owner, the vehicle was duly prepared in accordance with the manufacturer's guidelines and reference docs.

Upon a delivery your Seller should give you necessary instructions and explanations, as follows:

- ATV breaking-in test;
- maintenance schedule and explanation of operation in various environmental conditions;
- importance of ATV scheduled maintenance.

PRE-DELIVERY INSPECTION:

I hereby confirm that the ATV is duly prepared for release to the Seller.

Sherp ATV dealer name:

.....

Signature of the authorized Sherp dealer's representative:

.....

Date:

Seal

Information of Sherp ATV

Year of manufacture	
Color of the cab	
Color of the body	
Engine number	
VIN	
Extra equipment	

Owner

Name	
Address	
Contacts	

Your Dealer

Company name	
Address	
Contacts (e-mail, tel. No.):	

Manufacturer Seal

(date)

GENERAL

A service center network has been created for the Sherp maintenance and repair.

Maintenance instructions are given below, according to which specified herein works should be carried out in due time.

A diagnostics is performed before every maintenance in order to define the scope of work.

A beginning of a warranty period for your ATV should be written down in the Service book. Maintenance terms herein are estimated for the average operational conditions. If operated in more adverse conditions, the ATV should be maintained more often. Only original spareparts should be used for replacement, the ones that are recommended by the manufacturer, then your ATV will be safe and within warranty coverage.

Terms of maintenance are defined hereunder. Any maintenance completion should be noted herein by a Service Center representative, as a confirmation of carrying out all maintenance procedures duly done in full scope.

If you sell the vehicle, please hand this Service book in to the new owner.

WARRANTY:

Subject to observation of the rules of transportation, storage and operation of the vehicle, the Supplier should provide the ATV manufacturer's warranty to the Buyer. During the warranty period, the Supplier undertakes on its own or by its contractors to carry out a repair or replacement of damaged components and units. ATV warranty procedures are carried out in a service center of an authorized dealer against the service book.

In case of ATV delivery to a service center of an authorized dealer by the Buyer at his own expense, servicing shall be provided under Warranty. The warranty period for all units and parts installed, covers the total Warranty period for the Goods or 90 (ninety) calendar days, whichever is longer. All replaced parts and units are the property of the Supplier and remain at its disposal.

In case of a non-authorized installation of any extra equipment, as well as vehicle servicing outside the authorized dealer network, warranty shall be void against such parts, units and systems.

TERMS OF WARRANTY:

1. The warranty period shall be calculated since a new SHERP ATV delivery to the owner;
2. In case of ownership change, the warranty shall be transferred to a new owner under the notice in written to an authorized dealer or the Manufacturer regarding such change within 30 calendar days from the transfer of ownership;
3. Warranty obligations are valid in full in case the SHERP ATV is properly identified with a serial number of the engine and a VIN;
4. Only the manufacturer has the right to determine the possibility of warranty liability application under the results of an ATV inspection in an authorized service center;
5. A dealer has the right to refuse to any ATV owner in maintenance, if there is no signature of the Service book owner, proving that he is acquainted with warranty terms and provisions, and the rules for ATV storage, maintenance and operation.

THE WARRANTY DOES NOT COVER THE FOLLOWING:

1. Replacement of consumables;
2. Extra accessories not supplied by the manufacturer;
3. (External or internal) damage caused by any physical impact, cracks, chips, deformation of materials and parts, etc.;
4. Scratches, scuffing of surfaces, chips, resulted from operation.
5. Damage caused by water, other fluids, substances, or insects ingress to the vehicle.
6. Damages caused by fire, natural disasters, road accidents or other force majeure.
7. The following parts and units: fuel filter, air filter, oil filter, drive chains, brake pads, tires, drive belt, light indicators, batteries, etc.

REPAIR UNDER WARRANTY SHALL NOT BE CARRIED OUT, IN CASE OF THE FOLLOWING:

1. Non-observance by the Buyer of the Rules for ATV transportation, maintenance and operation specified in the Operation Manual;
2. Incorrect operation, theft, accident, fire or flooding of the ATV;
3. Application of non-recommended lubrication oils and other consumables. Parts and units replacement for the ones of a non-original manufacturer (except recommended by the manufacturer);
4. Application of an improper type or insufficient quantity of fluids and lubricating oils;
5. Application of the ATV for purposes other than those specified;
6. Any interference, unauthorized opening, attempt of ATV repair or modernization by third parties, or contacting any service centers of an unauthorized dealer during the warranty period;
7. Installation of parts and units by any party other than an authorized SHERP dealer;
8. Removing or distorting the engine serial number and the VIN.

In the cases listed above, the Buyer shall be forfeited the right for warranty and shall carry out the repair at his own expense.

LIABILITY OF THE ATV OWNER:

1. For ATV servicing under the warranty hereof, the SHERP owner should inform the authorized service center of the defect within 30 days from the day of its detection. Please, find the address and the location of the nearest authorized service center at www.sherp.ru. The Manufacturer shall solely make all the decisions regarding the warranty.
2. The allegedly defective SHERP ATV together with the original of this service book should be taken to an authorized service center, for inspection and works under warranty.
3. The owner bears the costs in full for delivery of the ATV/its any part to / from the service center.

INFORMATION ON THE SCHEDULED MAINTENANCE

The scope of works on SHERP maintenance includes testing, adjusting or replacing parts, aiming to ensure the maximum safe and easy operation. The works cover required procedures, depending on the number of ATV operating hours, and necessary to keep the vehicle perfectly operable. ATV specified life depends on the timely maintenance, specified herein.

A schedule of works performed during a scheduled ATV maintenance is provided below.

Please find below the record forms for scheduled maintenance and inspection of the ATV body surface. These forms should be verified by the signature and seal of the official dealer, and are the evidence of timely ATV maintenance, and should be kept together with receipts, certificates, invoices for repair

SCHEDULE OF MAINTENANCE WORKS

Pos.	Description	operating hours						
		5	10	50	100	200	400	800
1	Check the chain tension and lubricate the steering assembly chain ¹	+	+	+				
2	Check engine oil level and top up if necessary		+					

Pos.	Description	operating hours						
		5	10	50	100	200	400	800
3	Check the coolant level and top up if necessary (when engine is cold)		+					
4	Remove debris (leaves, needles, etc.) from the radiator grille, the air inlet grille and from the engine compartment		+					
5	Check the condition of tires and pressure in them (depending on the estimated operating)		+					
6	Check the tightening torques of the threaded joints of the wheels to the hubs ²		+	+				
7	Check the tension and lubrication of the steering unit chain and chains of driving wheels actuator. If necessary, tighten and lubricate them.		+					
8	Check sensors and light indicators		+					
9	Check and ensure that there are no damaged warning labels. Replace worn or damaged		+					
10	Check the condition of the seat belts		+					
11	Check the operation of the main brake system, parking brake, engine and transmission.		+					
12	Check the operation of the main brake system, parking brake, engine and transmission.			+				

Pos.	Description	operating hours						
		5	10	50	100	200	400	800
13	Check the oil level in the hydraulic reservoir of the steering unit. If necessary, top up			+				
14	Change engine oil ³			+	+			
15	Replace the filter element of the oil filter in the engine lubrication system ⁴			+	+			
16	Check fuel lines and clamps. If necessary, replace the damaged ones			+				
17	Check the pipes, their clamps and the exhaust gas changeover valve in the tire inflation system			+				
18	Check the bolt tightening and, if necessary, tighten them			+				
19	Check / adjust the tension of the fan drive belt				+			
20	Check the wires and terminals of the batteries. Lubricate the terminals				+			
21	Lubricate a universal-joint bearing					+		
22	Check if the radiator, reservoir tank and other cooling system connections are properly secure and tight					+		

Pos.	Description	operating hours						
		5	10	50	100	200	400	800
23	Check / adjust the clutch pedal travel					+		
24	Replace the air filter element of the engine system					+		
25	Adjust the control of the main brake system and steering unit. Lubricate the rotating and moving surfaces. If necessary, replace brake pads					+		
26	Adjust the parking brake control					+		
27	Replace the fuel filter element of the secondary fuel filter and the primary filter						+	
28	Remove fuel sediment						+	
29	Replace the fan motor belt						+	
30	Clean the outer surface of the radiator. Make sure that the radiator is securely attached						+	
31	Replace the oil and filter in the steering control hydraulic system ⁵						+	+
32	Check the expansion clearance of the engine valve actuator							+
33	Replace the oil in the gear box							+

Pos.	Description	operating hours						
		5	10	50	100	200	400	800
34	Lubricate spline joints, needle bearings and clutch release bearing							+
35	Check / tighten the ATV external threaded connections							+
36	Replace Exhaust System							+
37	Check wiring for defects and loose connections	Annually						
38	Replace the coolant in the engine cooling system	Every two years						
39	Replace the brake fluid in the braking system and clutch hydraulic system							
40	Replace the branch pipes, hoses and clamps of the engine cooling system							
41	Replace the fuel lines and clamps							
42	Replace the fuel lines and clamps of tire inflating system every 2 years							
43	Check / replace batteries							

¹Lubricate the chain every 5 operating hours when in operation, and prior to the movement once a day. Check the chain tension after driving the vehicle for 10 operating hours for the first time, and then repeat the procedure every 50 operating hours.

- ² The procedure should be carried out for the first time in 8 to 10 operating hours and then every 50 operating hours.
- ³ The procedure should be carried out for the first time in 50 operating hours and then every 100 operating hours.
- ⁴ The procedure should be carried out for the first time in 50 operating hours and then every 100 operating hours.
- ⁵ The first replacement is carried out in 400 operating hours. Then the replacement should be carried out every 800 operating hours.

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....

.....

.....

.....

.....

.....

Extra works

.....

.....

.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating Hours

Date

Dealer's Recommendations

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed by
Responsible person

ATV Body Condition

Body damage ___Yes ___No

Defect description

.....
.....
.....
.....
.....
.....
.....

Extra works

.....
.....
.....

Stamp
Service Center

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....

.....

.....

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....

.....

.....

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....

.....

.....

Seal of the service center

Date

Signed by

Seal of the service center

Date

Signed by

Seal of the service center

Date

Signed by

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....
.....
.....

Seal of the service center

Date

Signed by

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....
.....
.....

Seal of the service center

Date

Signed by

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....
.....
.....

Seal of the service center

Date

Signed by

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....
.....
.....

Seal of the service center

Date

Signed by

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....
.....
.....

Seal of the service center

Date

Signed by

Operating hours

Warranty maintenance Report №

Name and code of the servicing company:

List of replaced (repaired) units and aggregates:

.....
.....
.....

Seal of the service center

Date

Signed by

